



HYDROGEOLOGIC DATABASE Chemical Analysis

[Click HERE to View Information for Well CYT](#)

Sample Results Color Code Legend

Sample Exceeds [None
Secondary
Primary] **MCL**



Owner Name: **Mariners Cove Beach Club #5**

Well Key: **CYT** Site Type: **Well**

TRS: **32N/02E-02F**

PWS Name: **Mariners Cove Beach Club Inc**

DOH PwsID: **51730** DOH Source #: **6**

Source	Date	Bicarbonate			Conductivity		Hardness			Turbidity						
		Alk	As	Ca	Cl		Fe		K	Mg	Mn	Na	NO3	SO4		TDS
DOH	5/4/2004				< 20	388										
DOH	5/5/2004				< 20	429										
DOH	5/5/2004				< 20	396										
DOH	5/5/2004		0.004		< 20	389	1.31	151			0.196	13	< 0.2	16	1.5	
DOH	8/18/2010		0.005										< 0.5			

Select Summary Statistics

Avg As:	0.005	Avg Cl:	10.0	Avg Hardness:	151	Avg NO3:	0.17
Median As:	0.0045	Median Cl:	10.0	Median Hardness:	151	Median NO3:	0.175
Max As:	0.005	Max Cl:	10.0	Max Hardness:	151	Max NO3:	0.25

Bacteria Samples (distribution): [303 sample\(s\)](#)

Disclaimer: Data presented has been collected from a variety of sources. Island County makes no guarantee as to the validity or accuracy of this data.
Please report any errors to the Island County Hydrogeologist.

Generated by the Island County Hydrogeologic Database

5 records printed on 9/18/2019

Note: Items with [blue frames and blue text](#) are clickable hyperlinks to additional information / resources.

Parameter labels with a [red fill color](#) are exhibiting an increasing trend, and those with a [green fill color](#) are exhibiting a decreasing trend.